

RECEIVED
CENTRAL FAX CENTER

001

AUG 10 2007**KILPATRICK
STOCKTON LLP**

Attorneys at Law

Suite 2800 1100 Peachtree St.
Atlanta GA 30309-4530
t 404 815 6500 f 404 815 6555
www.KilpatrickStockton.com

August 10, 2007

direct dial 404 685 6799
direct fax 404 541 3244
BHolmes@KilpatrickStockton.com**FAX**

RECIPIENT/ PHONE NO.	FAX NO.	COMPANY/ CITY, STATE, COUNTRY
Centralized Fax Dept.	571 273 8300	U. S. Patent and Trademark Office Alexandria, VA

Brenda O. Holmes

FROM

20

PAGES (WITH COVER)

6559

REFERENCE NO

44471/296056

CLIENT/MATTER NO.

PLEASE CALL 404 815 6497 IF YOU HAVE DIFFICULTY WITH THIS TRANSMISSION.**CONFIDENTIALITY NOTE:**

The Information contained in this fax message is being transmitted to and is intended for the use of the individual named above. If the reader of this message is not the intended recipient, you are hereby advised that any dissemination, distribution or copy of this fax is strictly prohibited. If you have received this fax in error, please immediately notify us by telephone and destroy this fax message.

COMMENTS

Applicant:

Matt Ayers

Title:

Method and System for Directing Requests for Content to a
Content Server Based on Network Performance

Serial No./Docket No.

09/575,839 52224/296056

Filed:

May 22, 2000

Papers Submitted:

1. Transmittal Form
2. Reply to Notification of Non-Compliant Appeal Brief

By: Brenda O. Holmes, Reg. No. 40,339

TO BE COMPLETED BY KS OPERATIONS CENTER

TRANSMISSION RECEIPT DATE/TIME: _____

COMPLETED BY: _____

JOB CODE

39859

US1900 9163003.1

ATLANTA AUGUSTA CHARLOTTE LONDON NEW YORK RALEIGH STOCKHOLM WASHINGTON WINSTON-SALEM

AUG 10 2007

002

PTO/SB/21 (09-06)


Approved for use through 03/31/2007. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

TRANSMITTAL FORM		Application Number	09/575,839
		Filing Date	May 22, 2000
		First Named Inventor	Matt Ayers
		Art Unit	2144
		Examiner Name	Thanh Nguyen
		Attorney Docket Number	52224/296056
(to be used for all correspondence after initial filing)			
Total Number of Pages in This Submission	19		

ENCLOSURES (check all that apply)								
<input type="checkbox"/> Fee Transmittal Form <input type="checkbox"/> Fee Attached <input type="checkbox"/> Amendment / Reply <input type="checkbox"/> After Final <input type="checkbox"/> Affidavits/declaration(s) <input type="checkbox"/> Extension of Time Request <input type="checkbox"/> Express Abandonment Request <input type="checkbox"/> Information Disclosure Statement <input type="checkbox"/> Certified Copy of Priority Document(s) <input type="checkbox"/> Reply to Missing Parts/ Incomplete Application <input type="checkbox"/> Reply to Missing Parts under 37 CFR 1.52 or 1.53	<input type="checkbox"/> Drawing(s) <input type="checkbox"/> Licensing-related Papers <input type="checkbox"/> Petition <input type="checkbox"/> Petition to Convert to a Provisional Application <input type="checkbox"/> Power of Attorney, Revocation Change of Correspondence Address <input type="checkbox"/> Terminal Disclaimer <input type="checkbox"/> Request for Refund <input type="checkbox"/> CD, Number of CD(s) ____ <input type="checkbox"/> Landscape Table on CD	<input type="checkbox"/> After Allowance Communication to TC <input type="checkbox"/> Appeal Communication to Board of Appeals and Interferences <input checked="" type="checkbox"/> Appeal Communication to TC (Appeal Notice, Brief, Reply Brief) <input type="checkbox"/> Proprietary Information <input type="checkbox"/> Status Letter <input type="checkbox"/> Other Enclosure(s) (please identify below):						
<table border="1"> <tr> <td align="center" colspan="3">Remarks</td></tr> <tr> <td colspan="3" style="height: 100px;"></td></tr> </table>			Remarks					
Remarks								
SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT								
Firm	KILPATRICK STOCKTON LLP							
Signature								
Printed Name	Brenda O. Holmes, Esq.							
Date	August 10, 2007	Reg. No. 40,339						

CERTIFICATE OF TRANSMISSION/MAILING			
I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below.			
Signature			
Typed or printed name	Melody T. Wilson	Date	August 10, 2007

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

AUG 10 2007

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE


APPLICANT: Matt Ayers ART UNIT: 2144
SERIAL NO.: 09/575,839 EXAMINER: Thanh Nguyen
FILED: 05/22/2000
FOR: Method and System for Directing
Requests for Content to a
Content Server Based on
Network Performance

ATTORNEY DOCKET NO.: 52224/296056

Commissioner for Patents
Mail Stop Appeal Brief
P.O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE OF TRANSMITTAL

I hereby certify that this correspondence is being facsimile
transmitted to the U.S. Patent and Trademark Office's
Centralized Facsimile Number of 571.273.8300 on August
10, 2007.


Melody T. Wilson

REPLY TO NOTIFICATION OF NON-COMPLIANT APPEAL BRIEF

Sir:

This replacement claim appendix is submitted in response to the Notices of Non-Compliant Appeal Brief mailed on July 30, 2007 and August 3, 2007, both of which required a new claims appendix.

RECEIVED
CENTRAL FAX CENTER
AUG 10 2007

004

Serial Number: 09/575,839
Reply to Notification of Non-Compliant Appeal Brief
Page 2 of 18

I. Claims Appendix.

1. (Previously Presented) A method for directing a first network client requesting access to content to one of a plurality of content servers that can provide said content, comprising:

if one or more cost measurements are available that measure operational characteristics of the network based on communication between the first network client and one or more of the plurality of content servers, then directing the first network client to a said one of said content servers based on the one or more cost measurements;

otherwise, directing the first network client to a said one of said content servers using one or more cost measurements that measure operational characteristics of the network based on communication between a second client that is physically proximate to the first network client and one or more of the plurality of content servers.

2. (Previously Presented) A method as recited in claim 1, further comprising:

obtaining a new cost measurement when said first network client accesses said content server; and

using said new cost measurement as an indicator of operational characteristics of the network in connection with subsequent requests for access to said content that can be provided by said content server.

Serial Number: 09/575,839
Reply to Notification of Non-Compliant Appeal Brief
Page 3 of 18

3. (Original) A method as recited in claim 1, wherein said content servers are associated with a network server having an identity, and wherein said network client requests content from said network server, and further comprising:

mapping the identity of the network server to said content servers.

4. (Previously Presented) A method as recited in claim 1, further comprising measuring network performance between said first network client and a said one of said content servers.

5. (Original) A method as recited in claim 1, wherein an attribute of network performance comprises network latency.

6. (Previously Presented) A method as recited in claim 5, wherein network latency is measured passively by determining the time between a syn ack message sent by said first network client and an ack message sent by one of said content servers.

7. (Previously Presented) A method as recited in claim 4, further comprising measuring network performance between said first network client and another of said content servers.

Serial Number: 09/575,839
Reply to Notification of Non-Compliant Appeal Brief
Page 4 of 18

8. (Previously Presented) A method as recited in claim 1, further comprising determining the location of said first network client by circular intersection.

9. (Previously Presented) A method as recited in claim 8, wherein said circular intersection comprises:

(a) measuring the time that it takes for data to move from a plurality of network server locations to said first network client;

(b) converting said times to distance equivalents;

(c) determining a plurality of intersecting circles, wherein said distance equivalents are used as the radii of the circles and said network server locations are used as the centers of the circles; and

(d) determining the physical location of said first network client from the intersection of said circles.

10. (Previously Presented) A method as recited in claim 1, further comprising inferring network performance of serving said first network client from said content server by determining a weighted average of network performance between said content server and other network clients based on physical proximity of said other network clients to said network client and performance of said content server for said other network clients.

Serial Number: 09/575,839
Reply to Notification of Non-Compliant Appeal Brief
Page 5 of 18

11. (Previously Presented) A method as recited in claim 1, further comprising:

(a) measuring network latency between a content server and a plurality of other network clients;

(b) determining physical distances between said other network clients and said first network client;

(c) computing a weighted average of said latency measurements as a function of said distances, wherein said weighed average comprises an estimate of the latency between said content server and said first network client; and

(d) inferring operational characteristics associated with a plurality of network clients to said first network client using said weighted average.

12. (Previously Presented) A method for directing a first network client requesting access to content from a network server to one of a plurality of content servers that can provide said content, each said content server having an address, said network server having an identity, said method comprising:

(a) identifying the network server associated with the content requested by said network client;

(b) if one or more cost measurements are available that measure operational characteristics of the network based on communication between the first network client and one or more of the plurality of content servers, then identifying a said one of said content servers based on said identity of said network server and the one or

Serial Number: 09/575,839
Reply to Notification of Non-Compliant Appeal Brief
Page 6 of 18

more cost measurements; otherwise, identifying a said one of said content servers based on said identity of said network server and one or more cost measurements that measure operational characteristics of the network based on communication between a second client that is physically proximate to the first network client and one or more of the plurality of content servers; and

(c) providing the first network client with the address of said content server identified in step (b).

13. (Previously Presented) A method as recited in claim 12, further comprising:

(d) obtaining a new cost measurement when said first network client accesses said content server; and

(e) using said new cost measurement as an indicator of operational characteristics of the network in connection with subsequent requests for access to said content that can be provided by said content server.

14. (Previously Presented) A method as recited in claim 12, further comprising measuring network performance between said first network client and a said one of said content servers.

15. (Original) A method as recited in claim 12, wherein an attribute of network performance comprises network latency.

Serial Number: 09/575,839
Reply to Notification of Non-Compliant Appeal Brief
Page 7 of 18

16. (Previously Presented) A method as recited in claim 15, wherein network latency is measured passively by determining the time between a syn ack message sent by said first network client and an ack message sent by said one of said content servers.

17. (Previously Presented) A method as recited in claim 14, further comprising measuring network performance between said first network client and another of said content servers.

18. (Previously Presented) A method as recited in claim 12, determining the location of said first network client by circular intersection.

19. (Previously Presented) A method as recited in claim 18, wherein said circular intersection comprises:

- (a) measuring the time that it takes for data to move from a plurality of network server locations to said first network client;
- (b) converting said times to distance equivalents;
- (c) determining a plurality of intersecting circles, wherein said distance equivalents are used as the radii of the circles and said network server locations are used as the centers of the circles; and

Serial Number: 09/575,839
Reply to Notification of Non-Compliant Appeal Brief
Page 8 of 18

(d) determining the physical location of said first network client from the intersection of said circles.

20. (Previously Presented) A method as recited in claim 12, further comprising inferring network performance of serving said first network client from said content server by determining a weighted average of network performance between said content server and other network clients based on physical proximity of said other network clients to said first network client and performance of said content server for said other network clients.

21. (Previously Presented) A method as recited in claim 12, further comprising:

(a) measuring network latency between a content server and a plurality of other network clients;

(b) determining physical distances between said other network clients and said first network client;

(c) computing a weighted average of said latency measurements as a function of said distances, wherein said weighed average comprises an estimate of the latency between said content server and said first network client; and

(d) inferring operational characteristics associated with said other network clients to said first network client using said weighted average.

Serial Number: 09/575,839
Reply to Notification of Non-Compliant Appeal Brief
Page 9 of 18

22. – 31. (Cancelled)

32. (Previously Presented) A method for inferring operational characteristics associated with a plurality of network clients to an inferable network client, comprising:

(a) measuring network latency between a network server and the plurality of network clients;

(b) determining physical distances between said network clients and the inferable network client; and

(c) computing a weighted average of said latency measurements as a function of said distances, wherein said weighed average comprises an estimate of the latency between said network server and said inferable network client.

33. (Previously Presented) A system for directing a first network client requesting access to content to one of a plurality of content servers that can provide said content, comprising:

a programmed data processor; and

programming associated with said programmed data processor for:

determining whether one or more cost measurements are available that measure operational characteristics of the network based on communication between the first network client and one or more of the plurality of content servers,

Serial Number: 09/575,839
Reply to Notification of Non-Compliant Appeal Brief
Page 10 of 18

if so, then directing the first network client to a said one of said content servers based on the one or more cost measurements;

if not, then directing the first network client to a said one of said content servers using one or more cost measurements that measure operational characteristics of the network based on communication between a second client that is physically proximate to the first network client and one or more of the plurality of content servers.

34. (Previously Presented) A system as recited in claim 33, further comprising programming associated with said programmed data processor for:

obtaining a new cost measurement when said first network client accesses said content server; and

using said new cost measurement as an indicator of operational characteristics of the network in connection with subsequent requests for access to said content that can be provided by said content server.

35. (Previously Presented) A system as recited in claim 33, wherein said content servers are associated with a network server having an identity, and wherein said first network client requests content from said network server, and further comprising:

programming associated with said programmed data processor mapping the identity of the network server to said content servers.

Serial Number: 09/575,839
Reply to Notification of Non-Compliant Appeal Brief
Page 11 of 18

36. (Previously Presented) A system as recited in claim 33, further comprising programming associated with said programmed data processor for measuring network performance between said first network client and a said one of said content servers.

37. (Original) A system as recited in claim 33, wherein an attribute of network performance comprises network latency.

38. (Previously Presented) A system as recited in claim 37, wherein network latency is measured passively by determining the time between a syn ack message sent by said first network client and an ack message sent by one of said content servers.

39. (Previously Presented) A system as recited in claim 36, further comprising programming associated with said programmed data processor for measuring network performance between said first network client and another of said content servers.

40. (Previously Presented) A system as recited in claim 33, further comprising programming associated with said programmed data processor for determining the location of said first network client by circular intersection.

Serial Number: 09/575,839
Reply to Notification of Non-Compliant Appeal Brief
Page 12 of 18

41. (Previously Presented) A system as recited in claim 40, wherein said circular intersection comprises:

- (a) measuring the time that it takes for data to move from a plurality of network server locations to said first network client;
- (b) converting said times to distance equivalents;
- (c) determining a plurality of intersecting circles, wherein said distance equivalents are used as the radii of the circles and said network server locations are used as the centers of the circles; and
- (d) determining the physical location of said first network client from the intersection of said circles.

42. (Previously Presented) A system as recited in claim 33, further comprising programming associated with said programmed data processor for inferring network performance of serving said first network client from said content server by determining a weighted average of network performance between said content server and other network clients based on physical proximity of said other network clients to said first network client and performance of said content server for said other network clients.

43. (Previously Presented) A system as recited in claim 33, further comprising programming associated with said programmed data processor for

Serial Number: 09/575,839
Reply to Notification of Non-Compliant Appeal Brief
Page 13 of 18

- (a) measuring network latency between a content server and a plurality of other network clients;
- (b) determining physical distances between said other network clients and said first network client;
- (c) computing a weighted average of said latency measurements as a function of said distances, wherein said weighed average comprises an estimate of the latency between said content server and said first network client; and
- (d) inferring operational characteristics associated with a plurality of network clients to said first network client using said weighted average.

44. (Previously Presented) A system for directing a first network client requesting access to content from a network server to one of a plurality of content servers that can provide said content, each said content server having an address, said network server having an identity, said method comprising:

- (a) a programmed data processor; and
- (b) programming associated with said programmed data processor for
 - (i) identifying the network server associated with the content requested by said first network client;
 - (ii) if one or more cost measurements are available that measure operational characteristics of the network based on communication between the network client and one or more of the plurality of content servers, then identifying a

Serial Number: 09/575,839
Reply to Notification of Non-Compliant Appeal Brief
Page 14 of 18

said one of said content servers based on said identity of said network server and the one or more cost measurements; and

(iii) otherwise, identifying a said one of said content servers based on said identity of said network server and one or more cost measurements that measure operational characteristics of the network based on communication between a client that is physically proximate to the first network client and one or more of the plurality of content servers; and

(c) providing the first network client with the address of said content server identified in step (b).

45. (Previously Presented) A system as recited in claim 44, further comprising programming associated with said programmed data processor for:

obtaining a new cost measurement when said first network client accesses said content server; and

using said new cost measurement as an indicator of operational characteristics of the network in connection with subsequent requests for access to said content that can be provided by said content server.

46. (Previously Presented) A system as recited in claim 44, further comprising programming associated with said programmed data processor for measuring network performance between said first network client and a said one of said content servers.

Serial Number: 09/575,839
Reply to Notification of Non-Compliant Appeal Brief
Page 15 of 18

47. (Original) A system as recited in claim 46, wherein an attribute of network performance comprises network latency.

48. (Previously Presented) A system as recited in claim 47, wherein network latency is measured passively by determining the time between a syn ack message sent by said first network client and an ack message sent by said one of said content servers.

49. (Previously Presented) A system as recited in claim 46, further comprising programming associated with said programmed data processor for measuring network performance between said first network client and another of said content servers.

50. (Previously Presented) A system as recited in claim 44, further comprising programming associated with said programmed data processor for determining the location of said network client by circular intersection.

51. (Previously Presented) A system as recited in claim 50, wherein said circular intersection comprises:

(a) measuring the time that it takes for data to move from a plurality of network server locations to said first network client;

Serial Number: 09/575,839

Reply to Notification of Non-Compliant Appeal Brief

Page 16 of 18

- (b) converting said times to distance equivalents;
- (c) determining a plurality of intersecting circles, wherein said distance equivalents are used as the radii of the circles and said network server locations are used as the center of the circles; and
- (d) determining the physical location of said network client from the intersection of said circles.

52. (Previously Presented) A system as recited in claim 44, further comprising programming associated with said programmed data processor for inferring network performance of serving said first network client from said content server by determining a weighted average of network performance between said content server and other network clients based on physical proximity of said other network clients to said first network client and performance of said content server for said other network clients.

53. (Previously Presented) A system as recited in claim 44, further comprising programming associated with said programmed data processor for:

- (a) measuring network latency between a content server and a plurality of other network clients;
- (b) determining physical distances between said other network clients and said first network client;

Serial Number: 09/575,839

Reply to Notification of Non-Compliant Appeal Brief

Page 17 of 18

(c) computing a weighted average of said latency measurements as a function of said distances, wherein said weighed average comprises an estimate of the latency between said content server and said network client; and

(d) inferring operational characteristics associated with a plurality of network clients to said network client using said weighted average.

54. – 63. (Cancelled)

64. (Previously Presented) A system for inferring operational characteristics associated with a plurality of network clients to an inferable network client, comprising:

(a) a programmed data processor; and

(b) programming associated with said programmed data processor for

(i) measuring network latency between a network server and the plurality of network clients;

(ii) determining physical distances between said network clients and the inferable network client; and

(iii) computing a weighted average of said latency measurements as a function of said distances, wherein said weighed average comprises an estimate of the latency between said network server and said inferable network client.

AUG 10 2007

Serial Number: 09/575,839
Reply to Notification of Non-Compliant Appeal Brief
Page 18 of 18

CONCLUSION

The foregoing is submitted as a complete response to the Office Action identified above. This application should now be in condition for allowance, and the Applicants solicit a notice to that effect. If there are any issues that can be addressed via telephone, the Examiner is asked to contact the undersigned at 404.685.6799.

Respectfully submitted,



By: Brenda O. Holmes
Reg. No. 40,339

KILPATRICK STOCKTON LLP
1100 Peachtree Street, Suite 2800
Atlanta, Georgia 30309-4530
Telephone: (404) 815-6500
Facsimile: (404) 815-6555
Date: August 10, 2007